

<b>EAST BURLINGTON INDUSTRIES AND DOMESTIC</b>												
	Industry - A	Industry B-1	Industry B-2	Industry B-3	Industry B-4	Industry B-5	Industry C	Industry C	Industry C	Industry C	Industry C	Industry C
Sample Date	12/3/2019	12/3/2019	1/9/2020	2/18/2020	7/15/2021	11/16/2021	12/3/2019	1/9/2020	3/5/2020	6/30/2020	7/23/2020	10/19/2021
Collection Time					1015	951			24hr cmp	1035	1211	1004
<b>1,4 Dioxane</b>	<b>26.2</b>	<b>10.6</b>	<b>15.9</b>	<b>10.0</b>			<b>0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>23.4</b>		
<b>PFOA</b>	<b>6.49</b>	<b>10.3</b>	<b>17.9</b>	<b>28.0</b>	<b>16.7</b>	<b>23.8</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>13.2</b>
<b>PFOS</b>	<b>0</b>	<b>9.37</b>	<b>18.1</b>	<b>19.00</b>	<b>20.70</b>	<b>22.30</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>7.27</b>
PFBA	0	0	0	0	0	23.7	0	0	0	0	0	0
PFPeA	0	0	0	0	27.2	23.8	0	0	0	0	0	0
PFHxA	0	25.1	17.8	79.0	39.6	35.5	7	0	0	0	0	0
PFHpA	0	7.56	8.12	19.3	18.2	15.0	0	0	0	0	0	0
PFNA	0	0	0	0	0	0	0	0	0	0	0	0
PFDA	0	0	0	6.49	0	0	0	0	0	0	0	0
PFPFUnA	0	0	0	0	0	0	0	0	0	0	0	0
PFDoA	0	0	0	0	0	0	0	0	0	0	0	0
PFTTrA	0	0	0	0	0	0	0	0	0	0	0	0
PFTA	0	6.33	6.6	0	0	0	0	0	0	0	0	0
L-PFBS	0	0	0	0	0	0	0	0	0	0	0	0
PFPeS	0	0	0	0	0	0	0	0	0	0	0	0
PFHxS	0	0	0	0	0	7.51	0	0	0	0	0	0
PFHpS	0	0	0	0	0	0	0	0	0	0	0	0
PFNS	0	0	0	0	0	0	0	0	0	0	0	0
PFDS	0	0	0	0	0	0	0	0	0	0	0	0
PFOSA	0	0	0	0	0	0	0	0	0	0	0	0
N-MeFOSAA	0	0	0	43.7	0	0	0	0	0	0	0	0
N-EtFOSAA	0	0	0	39.1	0	0	0	0	0	0	0	0
PFMOAA						0						409
<b>PFOA + PFOS</b>	<b>6.5</b>	<b>19.7</b>	<b>36.0</b>	<b>47.0</b>	<b>37.4</b>	<b>46.1</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>20.5</b>
<b>SUM ALL</b>	<b>6.5</b>	<b>58.7</b>	<b>68.5</b>	<b>234.6</b>	<b>122.4</b>	<b>151.6</b>	<b>6.8</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>429.5</b>
							*an additional 28 cmpds were tested for with all being BD					
*Samples analyzed for targeted PFAS by a commercial lab by isotope dilution method												
*Data provided for informational purposes and not as certified results as there was not an EPA-approved Standard Method for PFAS analysis for wastewater at time of analysis.												

EAST BURLING													East BURL	East BURL	
	Industry C	Industry D	Industry D	Industry D	Industry E	Industry E	Industry E	Industry E	Industry E	Industry E	Industry F	Industry F	Industry F	DOMESTIC	DOMESTIC
Sample Date	12/7/2021	12/3/2019	1/9/2020	3/5/2020	12/11/2019	1/9/2020	2/18/2020	7/15/2021	10/19/2021	12/11/2019	1/9/2020	2/18/2020	12/11/2019	1/9/2020	
Collection Time	1027			24hr cmp				1042	1230						
<b>1,4 Dioxane</b>	<b>0</b>	<b>&lt;1.0</b>	<b>&lt;1.0</b>	<b>47.8</b>	<b>60.8</b>	<b>38.9</b>				<b>1.05</b>	<b>1.45</b>	<b>&lt;2.0</b>		<b>1.96</b>	
<b>PFOA</b>	<b>7.79</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>13</b>	<b>12.6</b>	<b>9.41</b>	<b>16.9</b>	<b>18.5</b>	<b>6.92</b>	<b>0</b>	<b>6.27</b>	<b>11.3</b>	<b>6.8</b>	
<b>PFOS</b>	<b>9.84</b>	<b>0</b>	<b>8.76</b>	<b>7.93</b>	<b>10.7</b>	<b>14.2</b>	<b>6.68</b>	<b>16.9</b>	<b>15.4</b>	<b>6.42</b>	<b>12.3</b>	<b>10.6</b>	<b>12.5</b>	<b>32.2</b>	
PFBA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PFPeA	0	0	0	0	0	0	0	0	12.8	0	0	0	0	0	
PFHxA	23.1	0	0	0	0	8.86	13.00	11.80	14.30	0	0.00	0.00	0	0.00	
PFHpA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PFNA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PFDA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PFPFUnA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PFDoA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PFTTrA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PFTA	0	0	0	0	10.7	0	0	0	0	7.26	0	0	0	0	
L-PFBS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PFPeS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PFHxS	0	0	0	0	0	0	0	0	0	0	0.00	0.00	0	0.00	
PFHpS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PFNS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PFDS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PFOSA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
N-MeFOSAA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
N-EtFOSAA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PFMOAA	0								0						
<b>PFOA + PFOS</b>	<b>17.6</b>	<b>0.0</b>	<b>8.8</b>	<b>7.9</b>	<b>23.7</b>	<b>26.8</b>	<b>16.1</b>	<b>33.8</b>	<b>33.9</b>	<b>13.3</b>	<b>12.3</b>	<b>16.9</b>	<b>23.8</b>	<b>39.0</b>	
<b>SUM ALL</b>	<b>40.7</b>	<b>0.0</b>	<b>8.8</b>	<b>7.9</b>	<b>34.4</b>	<b>35.7</b>	<b>29.1</b>	<b>45.6</b>	<b>61.0</b>	<b>20.6</b>	<b>12.3</b>	<b>16.9</b>	<b>23.8</b>	<b>39.0</b>	
*Samples analyzed for															
*Data provided for ir															

**EAST BURLING**

	INDUSTRY	Domestic	(Goes to South)	go to south
Sample Date	Averages	Averages	Industry G	Industry H
Collection Time			2/27/2020	3/5/2020
			1015	24hr cmp
1,4 Dioxane	19.08	1.96		3.06
PFOA	8.75	9.05	6.09	0
PFOS	9.41	22.35	0	0
PFBA	1.03	0.00	0	0
PFPeA	2.77	0.00	0	0
PFHxA	11.95	0.00	0.00	0
PFHpA	2.96	0.00	0	0
PFNA	0.00	0.00	0	0
PFDA	0.28	0.00	0	0
PFPFUnA	0.00	0.00	0	0
PFDaA	0.00	0.00	0	0
PFTTrA	0.00	0.00	0	0
PFTA	1.34	0.00	0	0
L-PFBS	0.00	0.00	0	0
PFPeS	0.00	0.00	0	0
PFHxS	0.33	0.00	0.00	0
PFHpS	0.00	0.00	0	0
PFNS	0.00	0.00	0	0
PFDS	0.00	0.00	0	0
PFOSA	0.00	0.00	0	0
N-MeFOSAA	1.90	0.00	0	0
N-EtFOSAA	1.70	0.00	0	0
PFMOAA				0
PFOA + PFOS	18.2	31.4	6.1	0
SUM ALL	60.2	31.4	6.1	
*Samples analyzed for				
*Data provided for ir				